



MICROCOPY RESOLUTION TEST CHART



TECHNICAL REPORT 81-1

 $\stackrel{6}{=}$ on the USE of a cumulative distribution as a UTILITY FUNCTION IN EDUCATIONAL OR EMPLOYMENT SELECTION

JAMES J./CHEN AND MELVIN R./NOVICK

18 search up to Jan - Dac 840/

14) TK-81-11

REPORT PREPARED UNDER OFFICE OF NAVAL RESEARCH

CONTRACT (N)00014-77-C-0428

MELVIN R. NOVICK, PRINCIPAL INVESTIGATOR

THE UNIVERSITY OF IOWA

IOWA CITY, IOWA

(16) RE \$ 1291 (2) RE\$ \$42\$491/

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED REPRODUCTION IN WHOLE OR IN PART IS PERMITTED FOR ANY PURPOSE OF THE UNITED STATES GOVERNMENT.

APR8

411417

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE (When Date Ente

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM				
1. REPORT NUMBER 2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER				
Technical Report 81-1/ AD-A097 465	_				
4. TITLE (and Subtitle)	S. TYPE OF REPORT & PERIOD COVERED				
"On the Use of a Cumulative Distribution as a	Research Report				
Utility Function in Educational or Employment	Jan - Dec, 1980				
Selection"	6. PERFORMING ORG. REPORT NUMBER				
	Technical Report 81-1				
7. AUTHOR(e)	S. CONTRACT OR GRANT NUMBER(-)				
James J. Chen and Melvin R. Novick	N00014-77-C-0428				
9. PERFORMING ORGANIZATION NAME AND ADDRESS	16. PROGRAM ELEMENT. PROJECT, TASK AREA & WORK UNIT NUMBERS 6115 3N; RR 042-04; RR042-				
University of Iowa					
Division of Educational Psychology	04-01; NR 150-404				
Iowa City, Iowa 52242					
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE				
Personnel and Training Research Programs	February, 1981				
Office of Naval Research (Code 458)	32				
Arlington, VA 22217 14. MONITORING AGENCY NAME & ADDRESS(II different from Controlling Office)	15. SECURITY CLASS. (of this report)				
14. MONITORING AGENCY HAME & ADDRESSIT MITTERN TOM COMMONING CHICAS	Unclassified				
	Unclassified				
	TS. DECLASSIFICATION/DOWNGRADING				
	<u></u>				
16. DISTRIBUTION STATEMENT (of this Report)					
l					
Approved for public release, distribution unlimite	d				
17. DISTRIBUTION STATEMENT (of the abetract entered in Block 20, If different fre	ne Report)				
DISTRIBUTION STATEMENT (OF MIS ESTAGE MISSES IN SIGNAL 25) IS SEEN AS					
18. SUPPLEMENTARY NOTES					
19. KEY WORDS (Continue on reverse side if necessary and identity by block number					
Utility functions, distribution functions, normal	distributions, cumulative				
beta distributions, decision theory	,				
peta depetantatione, decreasi fuent.					
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)					
Formal decision theory can make important contribu					
employment decision-making, provided one can quantify the utilities of differ-					
ent possible outcomes such as test scores, grade-point averages or other					
common outcome variables. Utility is usually a monotonic increasing function					
of true ability or performance score. A cumulative probability function is					
then very convenient for describing one's utilities. Moreover, calculations					

of expected utility of a decision is greatly simplified when the utility and the probability function have the same functional form, e.g. both normal. A least-squares procedure for fitting a utility function is described and applied to truncated normal and beta distribution functions.

Accession For

NTIS GRA&I
DTIC TAB
Unannounced
Justification

By
Distribution/
Availability Codes

Avail and/or
Dist Special



Unclassified

On the Use of a Cumulative Distribution as a Utility

Function in Educational or Employment Selection

James J. Chen and Melvin R. Novick

The University of Iowa

Abstract

Formal decision theory can make important contributions to educational or employment decision-making, provided one can quantify the utilities of different possible outcomes such as test scores, grade-point averages or other common outcome variables. Utility is usually a monotonic increasing function of true ability or performance score. A cumulative probability function is then very convenient for describing one's utilities. Moreover, calculations of expected utility of a decision is greatly simplified when the utility and the probability function have the same functional form, e.g. both normal. A least-squares procedure for fitting a utility function is described and applied to truncated normal and beta distribution functions.

Introduction

Bayesian approaches to the problems of selection or certification have been discussed by several authors. Gross and Su (1975), Petersen (1976), and Huynh (1976, 1977) use threshold utility or a constant loss function to derive the cut-off scores in various models. Van der Linden and Mellenbergh (1977) extend the utility (loss) function to a linear form. Novick and Lindley (1978) suggest using a parametric utility function. They discuss several advantages of using a cumulative distribution as a utility function and recommend using the cumulative normal utility function. However, one restrictive property of the cumulative normal utility is its symmetry about the mean. This can be avoided by using only a portion of a symmetric function, e.g. a truncated normal function, or using a non-symmetric function, e.g. a beta function.

In this paper we consider using a truncated normal or a generalized beta cumulative distribution function (cdf) as a utility function. We will refer to them as a truncated normal utility (TNU) and a generalized beta utility (GBU) respectively. Applications of the two utility functions will be discussed specifically. A TNU and a GBU both have the advantage of being cumulative distribution functions and at the same time they provide increased flexibility in applications. For example, it can be symmetrical between risk-aversion and risk-proneness or it can be risk-averse or risk-prone throughout its range.

Moreover, if the utility and the posterior distribution have the same functional form, both normal or both beta, then the computations of the expected utility become simple.

The major problem in utilizing utility theory is the assessment of the utility function. Procedures for obtaining a utility function have been

given by Mosteller and Nogec (1951), Pratt, Raiffa and Schlaifer (1965),
Schlaifer (1969), and Keeney and Raiffa (1976). One of the difficulties
in utility assessment is resolving the incoherence of subjects. In
resolving subject incoherence, one can require a subject to give more than
the minimum number of judgments in fitting a utility function. In this
paper we discuss a procedure for fitting a cumulative utility function based on
fixed state least-squares utility assessment as given by Novick and
Lindley (1979).

A Truncated Normal Utility

Consider the problem of educational or personnel selection. Let θ denote the ability (or a measure of performance) of an applicant and $U(\theta)$ be the utility for selecting an applicant with ability θ . Assume the range of θ is $[\theta_0, \theta_n]$, then a truncated normal utility (TNU) function is defined by

$$U(\theta) = \frac{\Phi \left[\frac{\theta - \mu}{\sigma}\right] - \Phi \left[\frac{\theta_{\Omega} - \mu}{\sigma}\right]}{\Phi \left[\frac{\theta_{\Omega} - \mu}{\sigma}\right] - \Phi \left[\frac{\theta_{\Omega} - \mu}{\sigma}\right]} \qquad \theta_{\Omega} \leq 0 \leq \theta_{\Omega} \quad (1)$$

where μ and σ are respectively the mean and standard deviation and Φ (*) is the standardized normal distribution function. Hence, a TNU uses only a portion of a normal cumulative function. The utilities at the two end points are 0 and 1.

To investigate the behaviors of a person from the utility function, Pratt (1964) develops the risk aversion function r(0) for a measure of risk aversion of a utility function, where

$$r(\theta) = -\frac{d^2 U(\theta)}{d \theta^2} / \frac{d U(\theta)}{d \theta}$$

If $r(\theta)$ is positive at $\theta = \theta'$ then $U(\theta)$ is risk-averse at θ' ; if $r(\theta)$ is negative at θ' then $U(\theta)$ is risk-prone at θ' ; and if $r(\theta)$ is zero at θ' then $U(\theta)$ is risk neutral at θ' . The risk aversion function for the TNU defined in (1) is

$$\mathbf{r}(\theta) = \frac{\theta - \mu}{\sigma^2} \qquad \qquad \theta_0 \leq \theta \leq \theta_n$$

Thus, the sign of $r(\theta)$ depends on the position of μ . If $\theta_0 < \mu$, then $r(\theta)$ is positive for all θ , $U(\theta)$ is risk-averse through its range. If $\theta_n > \mu$, then $r(\theta)$ is negative for all θ , $U(\theta)$ is risk-prone through its range. If $\theta_0 < \mu < \theta_n$ then $r(\theta)$ is negative for $\theta < \mu$ and positive for $\theta > \mu$, $U(\theta)$ is risk-prone for low θ values and risk-averse for high θ values. This property is true for most unimodal distribution functions. Since the derivative of the risk aversion function in the normal case is

$$\mathbf{r}'(\theta) = \frac{1}{\sigma^2} .$$

This implies that $U(\theta)$ has strictly increasing risk aversion. This characteristic is particularly useful in educational selection. For θ < μ < θ , a TNU reflects a decision maker who is risk-taking for low ability θ , and risk-avoid for high ability θ ; and his willingness to take the risk decreases as θ increases. This seems reasonable and common in educational selection.

Finally, for $\theta_0 < \mu < \theta_n$ the limiting forms of the TNU become very simple. If $\sigma\!\!\to\!\! o$ then

$$U(\theta) = \begin{cases} 1 & \text{for } \theta > \mu \\ 0 & \text{for } \theta < \mu \end{cases}.$$

This is a threshold utility with threshold point at $\theta = \mu$. And if $\tau \to \infty$ then

$$U(\theta) = \frac{\theta - \theta_0}{\theta - \theta_0}, \qquad \theta_0 \le \theta \le \theta_n$$

The utility becomes a linear function with slope $(\theta_n - \theta_0)^{-1}$. (This result also holds for $\mu \geq \theta_n$ or $\mu \leq \theta_0$). Thus, for $0 \leq \sigma \leq \infty$ the function results in a smooth curve so that the lower portion $(\theta \leq \mu)$ is convex and the upper portion $(\theta \geq \mu)$ is concave with the point of inflection at $\theta = \mu$.

with observed core and

$$E U(\theta) = \int U(\theta) d F(\theta \mid \mathbf{x})$$
 (2)

where $F(\theta \mid x)$ is the posterior distribution of θ given observed score x. The Bayes rule is to select a candidate with the highest expected utility. Therefore, the computations of the expected utility become important in the selection analysis.

As Lindley (1977) and Novick and Lindley (1978) indicate, if one can match the function form of utility $U(\theta)$ with the (posterior) distribution $F(\theta \mid x)$ then the computations of expected utility become simple. In most applications $F(\theta \mid x)$ is or can be approximated by a normal distribution Huynh (1979). Assume $F(\theta \mid x)$ is a normal distribution with mean μ_0 and variance σ_0^2 , on $[\theta_0, \theta_n]$ then the expected utility of the TNU in (1) is

$$E U(\theta) = \int_{0}^{\theta} \frac{\Phi\left(\frac{\theta - \mu}{\sigma}\right) - a}{(b - a)(b_{o} - a_{o})} d\Phi\left(\frac{\theta - \mu_{o}}{\sigma_{o}}\right) , \quad \theta_{o} \leq \theta \leq \theta_{n}$$

$$= \frac{\int_{0}^{\infty} \Phi\left(\frac{\theta - \mu}{\sigma}\right) d\Phi\left(\frac{\theta - \mu_{o}}{\sigma_{o}}\right)}{(b - a)(b_{o} - a_{o})} - \frac{a}{b - a} , \quad \theta_{o} \leq \theta \leq \theta_{n}$$

$$= \frac{Pr\left(\xi - \theta \leq 0, \theta_{o} \leq \theta \leq \theta_{n}\right)}{(b - a)(b_{o} - a_{o})} - \frac{a}{b - a} , \quad \theta_{o} \leq \theta \leq \theta_{n}$$

$$= \frac{Pr(\xi - \theta \leq 0, \theta_{o} \leq \theta \leq \theta_{n})}{(b - a)(b_{o} - a_{o})} - \frac{a}{b - a}$$

$$(3)$$
where $a = \Phi\left(\frac{\theta_{o} - \mu}{\sigma}\right), b = \Phi\left(\frac{\theta_{n} - \mu}{\sigma}\right), a_{o} = \Phi\left(\frac{\theta_{o} - \mu_{o}}{\sigma}\right),$

 $b_0 = \phi\left(\frac{\theta_n - \mu_0}{\theta_0}\right)$ and ξ and θ are two independent random variables such that $\xi \sim N(\mu, \sigma)$ and $\theta \sim N(\mu_0, \sigma_0)$. Since ξ and θ are both normal, $(\xi - \theta, \theta)$ has a bivariate normal distribution with mean $(\mu - \mu_0, \mu_0)$ and covariance matrix

$$\begin{pmatrix}
\sigma^2 + & \sigma^2 & - & \sigma^2 \\
 & \sigma^2 & & \sigma^2 \\
 & \sigma^2 & & \sigma^2
\end{pmatrix}$$

The expected utility can be obtained by computing the probability of the bivariate normal variable over the region $\xi - \theta \le 0$ and $\theta \le \theta \le \theta_n$. Tables for bivariate normal probabilities are compiled by the (U.S.) National Bureau of Standards (1959). If $b_0 - a_0 = 1$, e.g. $\theta_0 \le \mu_0 - 4\sigma_0 < \mu_0 + 4\sigma_0 \le \theta_n$, then the expected utility in (3) is

$$E U(\theta) = \frac{Pr(\xi - \theta \le 0)}{b - a} - \frac{a}{b - a}$$

$$= \frac{c - a}{b - a}$$

where

$$c = \Phi \left(\frac{\rho - \mu}{(\sigma_0^2 + \sigma_2^2)^{\frac{1}{2}}} \right),$$

and a, b, c may be obtained from a univariate normal distribution table. A computer algorithm for computing bivariate normal probabilities is given by Divgi (1979).

In the previous discussions θ is considered to be on the interval $[\theta_0, \theta_n]$, in some cases θ may be defined beyond $[\theta_0, \theta_n]$. For example, in latent trait models the range of θ is $(-\infty, \infty)$. In this case, we can assign $U(\theta) = 1$ for $\theta > \theta_n$ and U(0) = 0 for $\theta < \theta_0$. Then the expected utility in (3) with $F(0 \mid x)$ defined over $(-\infty, \infty)$ becomes

$$E U(\theta) = \frac{\Pr(\xi - \theta \le 0, \ \theta_o \le \theta \le \theta_n) - a}{(b - a)} + (1 - b_o). \tag{3}$$

where ξ , θ , a , b and b_0 are as previously defined.

In the problem of setting cut-off (passing) scores, it is necessary to require monotonic expected utility. More precisely, for a given increasing utility function $U(\theta)$ the expected utility should be a monotonic function of x, the observed score. A sufficient condition for monotonic expected utility is that the posterior distribution is stochastically increasing in x, i.e. if x < x' implies $F(\theta \mid x) > F(\theta \mid x')$ for all θ (Chuang, Chen and Novick, 1981). It is easy to show that if the mean μ_0 of the normal distribution $F(\theta \mid x)$ is an increasing function of x and the variance σ_0 is independent of x then $F(\theta \mid x)$ is stochastically increasing in x. So the expected utility in (3) or (3)' will increase as x increases.

We now give an example of applying the TNU to the regression model (Petersen and Novick 1976) $y = \alpha + \beta (x - \bar{x}) + e$ where $e \sim N(0, \sigma^2)$, in the selection of applicants. The example is based on the data used in Petersen's (1976) model for selection under restrictions. The criterion variable Y is the first semester college grade-point average. The ACT composite score is used for the predictor variable X. The applicants can be divided into disadvantaged and advantaged groups. The range of Y is from 0 to 4 and the range of X is from 0 to 36. Table 1 gives the sample size of N, mean \bar{x} and \bar{y} , standard deviation s_{x} and s_{y} , correlation r_{xy} and regression coefficient $\hat{\beta}$ for each group.

Table 1 near here

Assume indifference prior distributions of α , β and σ for each group, then the posterior predictive distribution for y given an applicant with score x_0 is

$$\frac{y - [\bar{y} + \hat{\beta} (x_0 - \bar{x})]}{s \left[\frac{N+1}{N} + \frac{(x_0 - \bar{x})^2}{\Sigma (x - \bar{x})^2}\right]^2} \sim t_{N-2}$$
(4)

where $s^2 = N s_y^2 (1 - r_{xy}^2)/(N - 2)$ is the mean square error of the regression equation. If N is large then the t distribution in (4) is approximated by a normal variable and

$$\frac{N+1}{N} + \frac{(x_0 - \bar{x})^2}{\Sigma(x - \bar{x})^2} \longrightarrow 1.$$

Therefore, the posterior predictive distribution for y for a person with score x_0 approximates to a normal distribution with mean $\bar{y} + \hat{\beta} (x_0 - \bar{x})$ and variance s^2 . For a positive value of $\hat{\beta}$, the mean is an increasing function of x_0 , and the variance is independent of x_0 , so the expected utility is increasing in x_0 .

Suppose the utility for disadvantaged group has mean 1.5 and variance 2 and the utility for advantaged group has mean 2 and variance 1.5, the expected utilities computed from (3) of each group are given in Table 2. It is easy to see that of two applicants from different groups with the same test score, the applicant from the disadvantaged group is preferred. For the given data set and utility functions, Table 2 can be used for the selection of applicants.

Table 2 near here

A Generalized Beta Utility

We now consider the use of a generalized beta cumulative distribution as a utility function. Again, assume the range of θ is $[\theta_0, \theta_n]$. A generalized beta utility is defined as

$$U(\theta) = \int_{\theta}^{\theta} \frac{\Gamma(a+b)}{\Gamma(a)\Gamma(b)} \frac{(x-\theta_o)^{a-1}(\theta_n-x)^{b-1}}{(\theta_n-\theta_o)^{a+b-1}} dx \qquad \theta_o \le \theta \le \theta_n \quad (5)$$

The standard beta distribution has θ_0 = 0 and θ_n = 1. The risk aversion function for a GBU is

$$r(\theta) = \frac{b-1}{(\theta_n - \theta)} - \frac{a-1}{(\theta - \theta_0)}$$
 $\theta_0 \le \theta \le \theta_n$

Taking the derivative to find where the GBU has constant, decreasing or increasing risk-aversion, we have

$$r'(\theta) = \frac{b-1}{(\theta_n - \theta)^2} + \frac{a-1}{(\theta - \theta_0)^2}$$

$$\theta_0 \le \theta \le \theta_n$$

With the choices of a and b, beta utility provides a wide variety of utility functions. For example, for a<1 and b<1 the GBU is risk averse when θ is less than θ_a , and is risk prone when θ is greater than θ_a , where $\theta_a = [(a-1) \theta_n - (b-1) \theta_0]/(a+b-2)$ is the antimode of the generalized beta function. It has strictly decreasing risk aversion. For a<1 and b = 1 the beta utility is risk averse through its range and it has strictly decreasing risk aversion. For a<1 and b>1 the beta utility is risk averse through its range and it has decreasing risk aversion when $\theta < \theta_b$ and it has increasing risk-aversion when $\theta > \theta_b$ where $\theta_b = \left(\theta_n - \theta_0 \sqrt{\frac{-(b-1)}{(a-1)}}\right) / \left(1 + \sqrt{-\frac{(b-1)}{(a-1)}}\right)$. A decreasing risk-averse utility function is useful in economic applications.

In the previous section, we discussed some properties of the TNU function. A GBU with $a \ge 1$ and $b \ge 1$ has similar characteristics. It is increasing risk aversion. For a > 1 and b > 1 the beta utility is risk prone when $\theta > \theta_a$ and is risk averse when $\theta < \theta_a$, θ_a is the mode of the generalized beta function. For a > 1 and b = 1 the beta utility is risk prone through its range. For a = 1 and b > 1 the beta utility is risk averse through its range. The last two types represent the lower half curve and the upper half curve of a normal utility respectively. Finally, for a = 1 and b = 1 the beta utility is equivalent to a TNU with $\sigma \approx \infty$. We summarize the above results in Table 3.

Table 3 near here

The expected utility of a GBU can be computed by simple numerical integration. If a and b are integers, the beta utility in (5) becomes a polynomial utility with degree a + b - 1. Then expected utility is the linear combinations of the moments of the posterior distribution $F(\theta \mid x)$. The moments for many common probability distributions are tabulated and could be used in the calculations of the expectation of a polynomial utility.

If $F(\theta \mid x)$ has a beta distribution then the expected utility becomes one beta variable less than or equal to another beta variable. Assume ξ and θ are two independent beta random variables with distributions $U(\theta)$ and $F(\theta \mid x)$ respectively. Then the expected utility of a GBU in (5) is

$$E U(\theta) = Pr (\xi \leq \theta)$$

Note that the beta variable θ is also defined on $\{\theta_0, \theta_n\}$. Let $\xi' = \frac{\theta - \theta_0}{\theta_n - \theta_0}$ and $\theta' = \frac{\theta - \theta_0}{\theta_n - \theta_0}$, then ξ' and θ' are usual beta random variables defined on $\{0,1\}$ and

$$Pr(\xi < \theta) = Pr(\xi' < \theta').$$

Hence

$$E U (\theta) = Pr (\xi \leq \theta'). \tag{6}$$

The probability on the right hand side does not depend on θ_0 or θ_n . A formula for computing this probability is given in Altham (1969) and Weisberg (1972).

We now provide an example of the use of the beta utility when the test scores follow a beta-binomial model. This model has been used extensively in the theory of criterion-referenced testing by Huynh and others. For a test of n items, given an applicant with ability θ the probability that he answers x items correctly is a binomial distribution. Assume a person's ability has a beta distribution with parameters p and q. Then the posterior distribution of θ given x is a beta (p + x, q + n - x). If a, b, p, q are integers, Altham (1969) provided the following formula for computing the probability in equation (6):

$$E U(\theta) = \sum_{s = \max \{p+x-b,0\}}^{p+x-1} \frac{\binom{a+p+x-1}{s} \binom{b+q+n-x-1}{p+q+n-s-1}}{\binom{a+b+p+q+n-2}{p+q+n-1}}$$

Again, consider the selection on the restricted model. Suppose the utility for the disadvantaged group has beta cumulative function with parameters 2 and 4 and the utility for the advantaged group has beta cumulative function with parameters 2 and 2. Assume indifference prior (Novick and Jackson 1974, p. 156) for each group, i.e. p = q = 0. For a test of 16 items the expected utility of each group is given in Table 4. It is easy to see that the expected utility is an increasing function of test score. In fact, the expected utility preserves the shape of the utility function. For example, for the advantaged group the expected utility is symmetric at the score of 8.

Table 4 near here

Fitting a Utility Function

We have seen above that there are some advantages in using the cumulative normal or beta distribution function as a utility function. In this section we consider a least-squares procedure given in Novick and Lindley (1979) to fit the parameters $(\tau_1^{\tau_2})$ of a utility, where $(\tau_1^{\tau_2})$ are (μ,σ) for a TNU and $(\underline{a},\underline{b})$ for a GBU.

Consider (n+1) points with $\theta_0 < \theta_1 < \dots < \theta_n$ and let $U(\theta_i) = U_i$, $i = 0,1,\dots,n$. For a given triplet $(\theta_i, \theta_j, \theta_k)$, a subject is asked to compare θ_j for sure with a gamble on θ_i and θ_k where i < j < k. Specifically, the subject is required to state a probability, \mathbf{p}_{ijk} , such that he is indifferent between θ_j for sure and the gamble: chance \mathbf{p}_{ijk} of θ_k and $1 - \mathbf{p}_{ijk}$ of θ_i . Then

$$v_j = v_{ijk} v_k + (1 - v_{ijk}) v_i$$

or

$$\frac{\mathbf{p_{ijk}}}{1-\mathbf{p_{iik}}} = \frac{\mathbf{U_j} - \mathbf{U_i}}{\mathbf{U_k} - \mathbf{U_i}}$$

(i) If $U(\theta)$ is a TNU function, then

$$\frac{p_{ijk}}{1-p_{ijk}} = \frac{\phi\left(\frac{\theta_{j}-\mu}{\sigma}\right) - \phi\left(\frac{\theta_{i}-\mu}{\sigma}\right)}{\phi\left(\frac{\theta_{k}-\mu}{\sigma}\right) - \phi\left(\frac{\theta_{j}-\mu}{\sigma}\right)}$$
(7)

(ii) If $U(\theta)$ is a GBU function, then

$$\frac{\mathbf{p_{ijk}}}{1-\mathbf{p_{ijk}}} = \frac{\mathbf{U} \left(\frac{\theta_{\mathbf{i}} - \theta_{\mathbf{o}}}{\theta_{\mathbf{n}} - \theta_{\mathbf{o}}} \right) - \mathbf{U} \left(\frac{\theta_{\mathbf{i}} - \theta_{\mathbf{o}}}{\theta_{\mathbf{n}} - \theta_{\mathbf{o}}} \right)}{\mathbf{U} \left(\frac{\theta_{\mathbf{k}} - \theta_{\mathbf{o}}}{\theta_{\mathbf{n}} - \theta_{\mathbf{o}}} \right) - \mathbf{U} \left(\frac{\theta_{\mathbf{j}} - \theta_{\mathbf{o}}}{\theta_{\mathbf{n}} - \theta_{\mathbf{o}}} \right)}$$

where U'(·) is a standard beta distribution function, i.e.

$$U'(\theta') = \frac{\Gamma(a+b)}{\Gamma(a) \Gamma(b)} \int_0^{\theta'} x^{a-1} (1-x)^{b-1} dx, \qquad 0 \le \theta' \le 1.$$

Two values of $\mathbf{p_{ijk}}$ are sufficient to determine τ_1 and τ_2 . For checking the coherence subject is required to assess more than two indifference probabilities $\mathbf{p_{ijk}}$. Making the same assumption as in Novick and Lindley (1979) about the use of log-odds, a utility can be fitted by minimizing the following sum of squares with respect to τ_1 and τ_2

$$\sum_{\substack{i j k}} \left(\log \frac{p_{ijk}}{1 - p_{ijk}} - \log \frac{v_j - v_i}{v_k - v_j} \right)^2.$$

An example of using the least-squares procedure to fit a TNU and a GBU for a state university administrator on grade point average (GPA) is given below. The range of GPA is from 0 to 4, 14 different gambles are formed from the 9 points 0,0.5, 1, 1.5, 2, 2.5, 3, 3.5, 4. The list of the gambles is shown in column 1 to 3 of Table 5. (There are 84 possible gambles). For each gamble the assessed indifference probabilities are given in column 4. The Gauss-Newton method was used to minimize sum of squares. The algorithm is given in the appendix. The parameters of the fitted normal and beta utility are (1.44, 0.84) and (1.72, 2.99), respectively. The fitted utilities for the nine points are given in column 5 and 6. Two utilities are reasonably close to each other. The fitted beta has a mean of 1.46 and a mode of 1.06. The utilities rise very rapidly for GPA below 2 and very slowly for GPA above 3. Perhaps, this is the state university regulation that requires a continuing average of 1.0 to remain in college on probation, an average of 2.0 to maintain regular status and an average of 3.0 to take honor courses. Finally, for the comparison of the goodness of fits, the utilities from nine points least-squares fit are given in column 7. It also shows that the utilities at GPA = 0.5, 1, 1.5, 2 increase most rapidly, and the three fits are very close for GPA above 1.5.

Table 5 near here

Note that equation (7) is independent of $a = \Phi\left(\frac{\theta_0 - \mu}{\sigma}\right)$ and $b = \Phi\left(\frac{\theta_0 - \mu}{\sigma}\right)$. This procedure will fit the best normal curve over the interval $[\theta_0, \theta_0]$. However, if μ is far from the midpoint of θ_0 and θ_0 or/and σ is large then the performance of the fitted procedure will decrease. We briefly examine this difficulty by using the Monte Carlo methods for the model

$$\log \frac{\mathbf{p_{ijk}}}{1-\mathbf{p_{ijk}}} = \log \frac{\Phi\left(\frac{\theta_{j}-\mu}{\sigma}\right) - \Phi\left(\frac{\theta_{i}-\mu}{\sigma}\right)}{\Phi\left(\frac{\theta_{k}-\mu}{\sigma}\right) - \Phi\left(\frac{\theta_{i}-\mu}{\sigma}\right)} + \nu$$

14 gambles are used for each fit, the (i, j, k) are generated uniformly from the 84 gambles and the error ν from independent $N(0, \frac{1}{2})$ population. Table 4 gives the average of 25 fitted mean and standard deviations for each combination of $\mu \approx 2$, 2.5, 3, 4 and $\sigma = 0.5$, 1, 1.5, 2. The standard error of the averages are also provided. They are indicated in parenthesis. We consider the biases (|fitted-true|) and standard errors of the fitted values as a measure of the performance of the procedure. Table 4 indicates that an increase of σ or μ worsens the fit as one would expect. For $\mu = 4$ and $\sigma = 0.5$, the utilities for $\theta \leq 3$ are so close together (close to 0) that the procedure does not converge. This also suggests that θ_1 should be chosen so that the utilities of $U(\theta_1)$ increase significantly at each θ_1 .

Table 6 near here

Fitting a Utility in Two Groups

The problem of using probability distribution function as a utility function arises when the utilities are specified for more than one group. In the previous section, both utility bounds for advantaged and disadvantaged groups are assumed to be 1 and 0. This may not be true in some situations. For example, of two applicants with the same GPA of 4, one may prefer the disadvantaged group applicant. Therefore, it is important to check coherence between groups on multiple groups assessment. We now give a procedure to exploit coherence between groups. We will use GPA as an example to describe the procedure.

Let $\overline{\mathbb{U}}_{\mathbb{D}}(\theta)$ and $\overline{\mathbb{U}}_{\mathbb{A}}(\theta)$ be the utility function for disadvantaged and advantaged groups respectively. Suppose selecting a disadvantaged group applicant with GPA of 4 has the highest utility of 1 and selecting an advantaged group applicant with GPA of 0 has the lowest utility of 0. Hence, $\overline{\mathbb{U}}_{\mathbb{D}}(4)=1$ and $\overline{\mathbb{U}}_{\mathbb{A}}(0)=0$. Consider the utility for disadvantaged groups, for a given GPA of θ_1 , the subject is asked to compare the following two options:

For sure disadvantaged group applicant with GPA=0 $_{\mbox{\scriptsize 1}}$ and

p disadvantaged group applicant with GPA=4

1-p advantaged group applicant with GPA=0

Let $P_{\mathbf{i}}$ be the probability for which the subject is indifferent between the two options. Then

$$\bar{U}_{D}(\theta_{i}) = (1 - p_{i}) \bar{U}_{A}(0) + p_{i} \bar{U}_{D}(4)$$

$$= p_{i}$$
(8)

for any i. Assume $U_D(\theta)$ and $U_A(\theta)$ are two cumulative utility functions elicited independently from the procedure described in the last section. Because $U_D(\theta)$ and $\bar{U}_D(\theta)$ are two utility functions for the same population, we have

$$\overline{U}_{D}(\theta) = \alpha_{D} + \beta_{D} U_{D}(\theta)$$

$$= (1 - \beta_{D}) + \beta_{D} U_{D}(\theta)$$
(9)

The last equation follows from $\bar{U}_D(4) = U_D(4) = 1$. Substituting (8) into (9) and simplifying gives

$$(1 - p_i) = \beta_D (1 - U_D(\theta_i))$$

 β_D can be solved immediately from P_i and $U_D(\theta_i)$. Note that for coherence, β_D should be less than or equal to 1 (or $U(\theta_i)$ should be less than or equal to p_i). Equation (10) is a linear regression equation without intercept. By assessing at different θ_i points, the least squares procedure for estimating β_D can be used for checking coherence. Similarly, the utility for advantaged group is

$$\bar{U}_{A}(\theta) = \beta_{A} U_{A}(\theta)$$
 $0 \le \beta_{A} \le 1$

And β_{A} can be estimated from the regression line

$$P_{i} = \beta_{A} U_{A}(\theta_{i}). \tag{11}$$

where p_i is the indifference probability between the two options:

For sure advantaged group applicant with $GPA=\theta$ and

p disadvantaged group applicant with GPA=4 1-p advantaged group applicant with GPA=0.

If $\hat{\beta}_D$ and $\hat{\beta}_A$ are the least squares solutions from equation (10) and (11) then the assessed utility for the two groups are

$$\bar{\mathbf{U}}_{\mathbf{D}}(\boldsymbol{\theta}) = (1 - \hat{\boldsymbol{\beta}}_{\mathbf{D}}) + \hat{\boldsymbol{\beta}}_{\mathbf{D}} \, \mathbf{U}_{\mathbf{D}}(\boldsymbol{\theta})$$

and

$$\bar{\mathbf{U}}_{\mathbf{A}}(\theta) = \hat{\boldsymbol{\beta}}_{\mathbf{A}} \, \mathbf{U}_{\mathbf{A}}(\theta)$$
.

Since the two bounds of $\overline{U}_D(\theta)$ and $\overline{U}_A(\theta)$ are not 0 and 1, they cannot be considered as a cumulative distribution function; however, they retain all the properties of a TNU described above. The expected utilities can be computed directly from $E(U_D(\theta))$ and $E(U_A(\theta))$ respectively, i.c.

$$\mathbf{E} \quad \mathbf{\bar{U}}_{\mathbf{D}}(\boldsymbol{\theta}) \ = \ (\mathbf{1} \ - \ \hat{\boldsymbol{\beta}}_{\mathbf{D}}) \ + \ \hat{\boldsymbol{\beta}}_{\mathbf{D}} \ \mathbf{E} \ \boldsymbol{U}_{\mathbf{D}}(\boldsymbol{\theta})$$

and

$$\mathbf{E} \, \overline{\mathbf{U}}_{\mathbf{A}}(\theta) = \hat{\boldsymbol{\beta}}_{\mathbf{A}} \, \mathbf{E} \, \mathbf{U}_{\mathbf{A}} \, (\theta).$$

Note we assume that the highest utility and the lowest utility are in two different groups, i.e. $\bar{U}_D(4)=1$ and $\bar{U}_A(0)=1$. Suppose the two extreme utilities 0 and 1 occur in the same group. Without loss of generality, it could alternatively be assumed that $\bar{U}_A(4)=1$ and $\bar{U}_A(0)=0$, then only the utility for the disadvantaged group has to be rescaled. Following the same arguments described above we have

$$p_i = \alpha_D + \beta_D U_D \qquad 0 < \alpha_D, 0 < \beta_D < 1 \qquad (12)$$

where $p_{\hat{1}}$ is the indifference probability for the two options For sure disadvantaged group applicant with GPA= $\theta_{\hat{1}}$

advantaged group applicant with GPA=4

1-P advantaged group applicant with GPA=0. $\alpha_D \text{ and } \beta_D \text{ in (12) can be estimated by fitting the linear regression line.}$ If $\hat{\alpha}_D$ and $\hat{\beta}_D$ are two fitted values, then the utility for the two groups are

$$\bar{\mathbf{U}}_{\mathbf{D}}(\theta) = \hat{\alpha}_{\mathbf{D}} + \hat{\beta}_{\mathbf{D}} \mathbf{U}_{\mathbf{D}}(\theta)$$

and

and

P

$$\bar{\mathbf{U}}_{\mathbf{A}}(\mathbf{\theta}) = \mathbf{U}_{\mathbf{A}}(\mathbf{\theta}).$$

Summary

The use of some simple utility or loss functions in educational or employment evaluation has recently been studied by Petersen (1976) Huynh (1976, 1977), Van der Linden and Mellenbergh (1977). Novick and Lindley (1978) demonstrated that more realistic utility functions can be easily used without increasing the complexity and may be preferable in some applications.

This paper illustrates the use of a truncated normal or a generalized beta cumulative distribution function as a utility function. They are more flexible than threshold or linear functions. If a person's utility function can be fitted to a distribution function the analysis of utility is simple and easy. For example, its derivative is the familiar density function. It provides the rate of the increase of utility. However, one should not force a person's utility function into this form if it does not fit.

- Altham, P.M.E. Exact Bayesian analysis of a two-by-two contingency table and Fisher's "exact" significance test. <u>Journal of the Royal Statistical Society, Series B</u> 31, 261-269, 1969.
- Chuang, D.T., Chen, J.J. and Novick, M.R. Theory and Practice for the use of cut scores for personnel decisions. <u>Journal of Educational Statistics</u>, to appear.
- Divgi, D. R. Calculation of univariate and bivariate normal probability function. The Annals of Statistics 7, 903-910, 1979.
- Gross, A. L. & Su, W. H. Defining a 'fair' or 'unbiased' selection model: a question of utilities. <u>Journal of Applied Psychology</u> 60, 345-351, 1975.
- Huynh, H. Statistical consideration of mastery scores. Psychometrika 41, 65-78, 1976.
- Huynh, H. Two simple classes of mastery scores based on the beta-binomial model. Psychometrika 42, 601-608, 1977.
- Huynh, H. A class of passing scores based on the bivariate normal model. Proceedings of the American Statistical Association (Social Statistics Section). 310-313, 1979.
- Keeney, D. & Raiffa, H. <u>Decisions with Multiple Objectives: Preference</u> and Value Tradeoffs, New York: John Wiley and Sons, Inc., 1976.
- Lindley, D. V. A class of utility functions. The Annals of Statistics 4, 1-10, 1976.
- Mosteller, F. & Nogee, P. An experimental measurement of utility. Journal of <u>Political Economy</u> <u>59</u>, 371-404, 1951.
- National Bureau of Standards Tables of the Bivariate Normal Distribution Function and Related Functions. Applied Mathematics Series 50, Washington, D. C., Government Printing Office, 1959.
- Novick, M. R. & Jackson, P. H. <u>Statistical Methods for Educational and Psychological Research</u>, New York: McGraw-Hill, 1974.
- Novick, M. R. & Lindley, D. V. The use of more realistic utility function in educational applications. <u>Journal of Educational Measurement</u> 3, 181-192, 1978.
- Novick, M. R. & Lindley, D. V. Fixed state assessment of utility functions. <u>Journal of the American Statistical Association</u> 74 306-311, 1979.
- Petersen, N. S. An expected utility model for optimal selection.

 <u>Journal of Educational Statistics</u> 4, 333-358, 1976.
- Pratt, J. W. Risk Aversion in the small and in the large. Econometrika 32, 122-136, 1964.

- Pratt, J. W., Raiffa, H., & Schlaifer, R. <u>Introduction to Statistical</u>
 <u>Decision Theory</u> (Preliminary Edition), New York: McGraw Hill, 1965.
- Schlaifer, R. Analysis of Decisions under Uncertainty, New York: McGraw Hill, 1969.
- Van der Linden, W. J. & Mellenbergh, G. J. Optimal cutting scores using a linear loss function. Applied Psychological Measurement 1, 593-599, 1977.
- Weisberg, H. I. Bayesian comparison of two ordered multinomial populations, <u>Biometric</u> 28, 859-867, 1972.

Table 1 Sample Data for the Use of Truncated Normal Utility for Educational Selection

Group	N	x	S _x	Ÿ	Sy	r _{xy}	В
Disadvantaged	305	13.47	4.787	1.68	1.088	. 2772	.063
Advantaged	2182	19.03	5.276	2.07	1.015	. 3732	.072

Source of Data - 1971 ACT Research Services used in Petersen (1976).

Table 2 The Expected Values of Two Truncated Normal Utilities

	Disadvantaged	Advantaged
	μ _o = 1.5	$\mu_{o} = 2$
	σ = 2	$\sigma_{o} = 1.5$
	-	_
2	0.298	0.197
4	0.324	0.222
6	0.353	0.250
8	0.382	0.280
10	0.413	0.312
12	0.444	0.347
14	0.476	0.383
16	0.509	0.421
18	0.542	0.460
20	0.575	0.499
22	0.607	0.538
24	0.639	0.577
26	0.670	0.615
28	0.700	0.651
30	0.729	0.686
32	0.756	0.718
34	0.782	0.749
36	0.806	0.776

Table 3 Risk Aversion Properties of Beta Utility Functions

	r(0)	r'(0)
a < 1 b < 1	+ if 0 < 0 a 0 if 0 = 0 a a 0 if 0 > 0 a	-
a < 1 b = 1	+	-
a < 1 b > 1	+	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
a = 1 b < 1	_	-
a = 1 b = 1	0	0
a = 1 b > 1	+	+
a > 1 b < 1	-	+ if $\theta < \theta_b$ 0 if $\theta = \theta_b$ - if $\theta > \theta_b$
a > 1 b = 1	-	+
a > 1 b > 1	- if $\theta < \theta_a$ 0 if $\theta = \theta_a$ + if $\theta > \theta_a$	+
	$\theta_a = \frac{(a-1)\theta_n - (b-1)\theta_0}{(a+b-2)}$	$\theta_{b} = \frac{\left(\theta_{n} - \theta_{o} \sqrt{-\frac{b-1}{a-1}}\right)}{\left(1 + \sqrt{-\frac{b-1}{a-1}}\right)}$

Table 4 The Expected Values of Two Generalized Beta Utilities

Score	Disadvantaged	Advantaged
	a = 2	a = 2
	b = 4	b = 2
1	0.053	0.020
2	0.140	0.056
3	0.249	0.108
4	0.366	0.172
5	0.483	0.245
6	0.594	0.326
7	0.693	0.412
8	0.779	0.500
9	0.848	0.588
10	0.902	0.674
11	0.942	0.755
12	0.969	0.828
13	0.986	0.892
14	0.995	0.944
15	0.999	0.980

Table 5 Fitted Least Squares Utilities for a University Administrator

	Gamble			Normal	Beta	9 point
For sure	1-P	P	IP	Fit	Fit	fit
0.0				0	0	0
0.5	0.0	1.0	.68	.09	.12	.19
1.0	0.5	1.5	. 30	.27	.33	28
1.5	1.0	2.0	.45	.51	.55	.48
2.0	1.5	2.5	.59	.74	.74	.72
2.5	2.0	3.0	. 66	.89	. 88	. 89
3.0	2.5	3.5	. 78	.97	. 96	.97
3.5	3.0	4.0	. 80	.99	.99	.99
4.0				1.00	1.00	1.00
1.0	0.0	2.0	. 38			
1.5	0.5	2.5	.41			
2.0	1.0	3.0	.63			
2.5	1.5	3.5	. 79			
3.0	2.0	4.0	. 92			
1.5	0.0	3.0	. 50			
2.0	0.0	4.0	.72			

Table 6 Simulated Studies for the Performance of normal utility fits for Various μ and σ .

D D	2	2.5	3	4
	2.00 (0.038)	2.51 (0.053)	2.97 (0.042)	x
0.5	0.50 (0.015)	0.50 (0.017)	0.49 (0.009)	x
	1.97 (0.123)	2.48 (0.131)	2.85 (0.172)	3.54 (0.240)
1	0.99 (0.110)	1.01 (0.117)	0.95 (0.090)	0.88 (0.067)
	2.02 (0.305)	2.44 (0.340)	2.77 (0.262)	3.24 (0.362)
1.5	1.59 (0.555)	1.46 (0.304)	1.35 (0.254)	1.18 (0.187)
	1.88 (0.560)	2.40 (0.396)	2.84 (0.477)	3.28 (0.500)
2	1.93 (0.600)	2.11 (0.717)	2.02 (0.475)	1.62 (0.317)

Least-squares procedure to fit a normal or a beta cdf utility

Appendix

Let $\mathbf{p_{ijk}}$ be the indifference probability for the triplet $(\theta_i,\theta_j,\theta_k) \text{ then }$

$$\mathbf{U}(\theta_{\mathbf{j}}) = \mathbf{p}_{\mathbf{i}\mathbf{j}\mathbf{k}} \mathbf{U}(\theta_{\mathbf{k}}) + (1-\mathbf{p}_{\mathbf{i}\mathbf{j}\mathbf{k}}) \mathbf{U}(\theta_{\mathbf{i}})$$
.

We will minimize the following sum of squares with respect to the parameter $\underline{\tau} = (\tau_1, \tau_2)$ of $U(\theta)$

$$Q = \sum_{ijk} \left(\log \frac{p_{ijk}}{1 - p_{ijk}} - \log \frac{U(\theta_j) - U(\theta_i)}{U(\theta_k) - U(\theta_j)} \right)^2$$
 (A1)

Let
$$\log \frac{P_{ijk}}{1-P_{ijk}} = y_{ijk}$$
 and $\log \frac{U(\theta_i) - U(\theta_i)}{U(\theta_k) - U(\theta_j)} = f_{ijk}$ (5)

Consider the function $y - f(\tau)$ the first-order Taylor series expansion for the function about $\tau^{(0)}$ is

$$y - f(\tau^{(0)}) = \frac{\partial}{\partial \tau_1} f(\tau^{(0)}) (\tau_1 - \tau_1^{(0)}) + \frac{\partial}{\partial \tau_2} f(\tau_2^{(0)}) (\tau_2 - \tau_1^{(0)}) + R$$

where R is the remainder. The least-squares solution for the linear model

$$y_{ijk} - f_{ijk} = b_1 \frac{\partial}{\partial \tau_1} f_{ijk} + b_2 \frac{\partial}{\partial \tau_2} f_{ijk} + R_{ijk}$$

can be used to approximate the solution in (Al).

If we write

then the least-square estimate of b is

$$b^{(0)} = (x^{(0)}x^{(0)})^{-1}x^{(0)} (y - \underline{f}^{(0)})$$

 τ can be estimated by the interactive process from the above equation, that is

$$\bar{z}^{(n+1)} = \bar{z}^{(n)} + \bar{b}^{(n)}$$

$$= \bar{z}^{(n)} + (x^{*}(n)x^{(n)})^{-1} x^{*}(n) (y - \bar{f}^{(n)}).$$

We now give the derivate for two useful parametric utility functions:

(1) $U(\theta)$ is a normal or truncated normal cdf with mean μ and variance σ^2 , i.e. $U(\theta) = \phi(\frac{\theta - \mu}{\sigma})$.

Then

$$\frac{\partial}{\partial u} f_{ijk} (\mu, \sigma) = \frac{\phi_1 - \phi_1}{\sigma(\phi_j - \phi_1)} - \frac{\phi_k - \phi_j}{\sigma(\phi_k - \phi_j)}$$

$$\frac{\partial}{\partial \sigma} f_{ijk} (\mu, \sigma) = \frac{(\theta_1 - \mu) \phi_1 - (\theta_1 - \mu) \phi_1}{\sigma^2(\phi_j - \phi_1)} - \frac{(\theta_k - \mu) \phi_k - (\theta_1 - \mu) \phi_1}{\sigma^2(\phi_k - \phi_j)}$$
where $\phi_i = \phi(\frac{\theta_1 - \mu}{\sigma})$, $\phi_i = \phi(\frac{\theta_1 - \mu}{\sigma})$ and $\phi(x) = \frac{1}{\sqrt{2\pi}} e^{-\frac{1}{2}x^2}$

(2) U(0) is a beta cdf with parameters a and b, i.e.

$$U(\theta) = \frac{\Gamma(a+b)}{\Gamma(a)\Gamma(b)} \int_0^{\theta} x^{a-1} (1-x)^{b-1} dx . \text{ Then}$$

$$\frac{\partial}{\partial a} f_{ijk}(a,b) = \frac{v_{ij}}{u_{ij}} - \frac{v_{jk}}{u_{jk}}$$

$$\frac{\partial}{\partial b} f_{ijk}(a,b) = \frac{w_{ij}}{w_{ij}} - \frac{w_{jk}}{w_{jk}}$$

where
$$u_{ij} = \int_{\theta_i}^{\theta_j} x^{a-1} (1-x)^{b-1} dx$$
, $v_{ij} = \int_{\theta_i}^{\theta_j} \log x x^{a-1} (1-x)^{b-1} dx$

and
$$w_{ij} = \int_{\theta_i}^{\theta_j} \log (1-x) x^{a-1} (1-x)^{b-1} dx$$
.

Navy

- 1 Dr. Ed Aiken Navy Personnel R&D Center San Diego, CA 92152
- 1 Dr. Jack R. Borsting Provest & Academic Dean U.S. Naval Postgraduate School Monterey, CA 93940
- 1 Dr. Robert Breaux Code N-711 NAVTRAEQUIPCEN Orlando, FL 32813
- 1 Chief of Naval Education and Training Liason Office Air Force Human Resource Laboratory Flying Training Division WILLIAMS AFB, AZ 85224
- 1 Deputy Assistant Secretary of the Navy
 (Manpower)
 Office of the Assistant Secretary of
 the Navy (Manpower, Reserve Affairs, 1
 and Logistics)
 Washington, DC 20350
- 1 Dr. Richard Elster Department of Administrative Sciences Naval Postgraduate School Monterey, CA 93940
- 1 DR. PAT FEDERICO
 NAVY PERSONNEL R&D CENTER
 SAN DIEGO, CA 92152
- 1 Mr. Paul Foley Mavy Personnel R&D Center San Diego, CA 92152
- 1 Dr. John Ford Navy Personnel R&D Center San Diego, CA 92152
- 1 Dr. Henry M. Halff
 Department of Psychology, C-009
 University of California at San Diego
 La Jolla, CA 92093

Navy

- 1 Dr. Patrick R. Harrison
 Psychology Course Director
 LEADERSHIP & LAW DEPT. (7b)
 DIV. OF PROFESSIONAL DEVELOPMENT
 U.S. NAVAL ACADEMY
 ANNA POLIS, MD 21402
- 1 Dr. Norman J. Kerr Chief of Naval Technical Training Naval Air Station Memphis (75) Millington, TN 38054
- 1 Dr. William L. Maloy Principal Civilian Advisor for Education and Training Naval Training Command, Code 00A Pensaccla, FL 32508
 - Dr. Kneale Marshall Scientific Advisor to DCNO(MPT) OPO1T Washington DC 20370
 - CAPT Richard L. Martin, USN
 Prospective Commanding Officer
 USS Carl Vinson (CVN-70)
 Newport News Shipbuilding and Drydock Co
 Newport News, VA 23607
- 1 Dr. James McBride Navy Personnel R&D Center San Diego, CA 92152
- 1 Dr William Montague Navy Personnel R&D Center San Diego, CA 92152
- Ted M. I. Yellen
 Technical Information Office, Code 201,
 NAVY PERSONNEL R&D CENTER
 SAN DIEGO, CA 92152
- 1 Library, Code P201L Navy Personnel RAD Center San Diego, CA 92152

Navy

- 6 Commanding Officer
 Naval Research Laboratory
 Code 2627
 Washington, DC 20390
- 1 Psychologist
 ONR Branch Office
 Bldg 114, Section D
 666 Summer Street
 Boston, MA 02210
- 1 Psychologist
 ONR Branch Office
 536 S. Clark Street
 Chicago, IL 60605
- 1 Office of Naval Research Code 437 800 N. Quincy SStreet Arlington, VA 22217
- 5 Personnel & Training Research Programs (Code 458) Office of Naval Research Arlington, VA 22217
- 1 Psychologist
 ONR Branch Office
 1030 East Green Street
 Pasadena, CA 91101
- 1 Office of the Chief of Naval Operations Research Development & Studies Branch (OP-115) Washington, DC 20350
- 1 LT Frank C. Petho, MSC, USN (Ph.D) Code L51 Naval Aerospace Medical Research Laborat Pensaccla, FL 32508
- 1 Mr. Arnold Rubenstein
 Naval Personnel Support Technology
 Naval Material Command (08T244)
 Room 1044, Crystal Plaza #5
 2221 Jefferson Davis Highway
 Arlington, VA 20360

Navy

- 1 Dr. Robert G. Smith Office of Chief of Naval Operations OP-987H Washington, DC 20350
- 1 Dr. Richard Sorensen Navy Personnel R&D Center San Diego, CA 92152
- W. Gary Thomson
 Naval Ocean Systems Center
 Code 7132
 San Diego, CA 92152
- 1 Dr. Ronald Weitzman Code 54 WZ Department of Administrative Sciences U. S. Naval Postgraduate School Monterey, CA 93940
- 1 DR. MARTIN F. WISKOFF NAVY PERSONNEL R& D CENTER SAN DIEGO, CA 92152

Army

- Technical Director
 U. S. Army Research Institute for the Echavioral and Social Sciences
 5001 Eisenhower Avenue
 Alexandria, VA 22333
- 1 HQ USAREUE & 7th Army ODCSOPS USAAREUE Director of GED APO New York 09403
- DR. RALPH DUSEK
 U.S. ARMY RESEARCH INSTITUTE
 5001 EISENHOWER AVENUE
 ALEXANDRIA, VA 22333
- 1 Dr. Myron Fischl U.S. Army Research Institute for the Social and Rehavioral Sciences 5001 Eisenhower Avenue Alexandria, VA 22333
- 1 Dr. Harold F. O'Neil, Jr. Attn: PERI-OK
 Army Research Institute
 5001 Eisenhower Avenue
 Alexandria, VA 22333
- 1 Mr. Robert Ross U.S. Army Research Institute for the Social and Behavioral Sciences 5001 Eisenhower Avenue Alexandria, VA 22333
- Dr. Robert Sasmor
 U. S. Army Research Institute for the Behavioral and Social Sciences
 5001 Eisenhower Avenue
 Alexandria, VA 22333
- 1 Commandant
 US Army Institute of Administration
 Attn: Dr. Sherrill
 FT Benjamin Harrison, IN 46256
- 1 Dr. Frederick Steinheiser U. S. Army Reserch Institute 5001 Eisenhower Avenue Alexandria, VA 22333

Army

1 Dr. Joseph Ward U.S. Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333

Air Force

- Air Force Human Resources Lab AFHRL/MPD Brooks AFB, TX 78235
- 1 Air University Library AUL/LSE 76/443 Maxwell AFB, AL 36112
- 1 Dr. Earl A. Alluisi HQ, AFHRL (AFSC) Brooks AFB, TX 78235
- 1 Dr. Genevieve Haddad Program Manager Life Sciences Directorate AFOSR Polling AFB, DC 20332
- 1 Dr. Ross L. Morgan (AFHRL/LR) Wright -Patterson AFB Ohio 45433
- 1 Research and Measurment Division Research Branch, AFMPC/MPCYPR Randclph AFB, TX 78148
- 1 Dr. Malcolm Ree AFHRL/MP Brocks AFB, TX 78235
- 1 Dr. Marty Rockway Technical Director AFHRL(OT) Williams AFB, AZ 58224
- Jack A. Thorp, Maj., USAF Life Sciences Directorate AFOSR Bolling AFB, DC 20332

Marines

- 1 H. William Greenup Education Advisor (E031) Education Center, MCDEC Quantico, VA 22134
- 1 Dir:ctor, Office of Manpower Utilization HQ, Marine Corps (MPU) BCR, Bldg. 2009 Quantico, VA 22134
- DR. A.L. SLAFKOSKY
 SCIENTIFIC ADVISOR (CODE RD-1)
 HQ, U.S. MARINE CORPS
 WASHINGTON, DC 20380

Coast Guard

Mr. Thomas A. Warm
 U. S. Coast Guard Institute
 P. O. Substation 18
 Oklahoma City, OK 73169

Other DcD

- 12 Defense Technical Information Center Cameron Station, Bldg 5 Alexandria, VA 22314 Attn: TC
- 1 Dr. Dexter Fletcher
 ADVANCED RESEARCH PROJECTS AGENCY
 1400 WILSON BLVD.
 ARLINGTON, VA 22209
- 1 Dr. William Graham Testing Directorate MEPCCM/MEPCT-P Ft. Sheridan, IL 60037
- Military Assistant for Training and Personnel Technology Office of the Under Secretary of Defense for Research & Engineering Room 3D129, The Pentagon Washington, DC 20301
- 1 MAJOR Wayne Sellman, USAF
 Office of the Assistant Secretary
 of Defense (MRA&L)
 3B930 The Pentagon
 Washington, DC 20301
- 1 HEAD, SECTION ON MEDICAL EDUCATION UNIFORMED SERVICES UNIV. OF THE HEALTH SCIENCES 6917 ARLINGTON ROAD BETHESDA, MD 20014

Civil Govt

- 1 Dr. Susan Chipman Learning and Development National Institute of Education 1200 19th Street NW Washington, DC 20208
- 1 Dr. Joseph I. Lipson SEDR W-638 National Science Foundation Washington, DC 20550
- 1 Dr. John Mays National Institute of Education 1200 19th Street NW Washington, DC 20203
- 1 Dr. Arthur Melmed National Intitute of Education 1200 19th Street NW Washington, DC 20208
- 1 Dr. Andrew R. Molnar Science Education Dev. and Research National Science Foundation Washington, DC 20550
- Personnel R&D Center
 Office of Personnel Managment
 1900 E Street NW
 Washington, DC 20415
- 1 Dr. Vern W. Urry
 Personnel R&D Center
 Office of Personnel Management
 1900 E Street NW
 Washington, DC 20415
- 1 Dr. Frank Withrow
 U. S. Office of Education
 400 Maryland Ave. SW
 Washington, DC 20202
- 1 Dr. Joseph L. Young, Director Memory & Cognitive Processes National Science Foundation Washington, DC 20550

- 1 Dr. Erling B. Andersen
 Department of Statistics
 Studiestraede 6
 1455 Copenhagen
 DENMARK
- 1 1 psychological research unit Dept. of Defense (Army Office) Campbell Park Offices Canberra ACT 2600, Australia
- 1 Dr. Isaac Bejar Educational Testing Service Princeton, NJ 08450
- Dr. Werner Birke
 DezWPs im Streitkraefteamt
 Postfach 20 50 03
 D-5300 Bonn 2
 WEST GERMANY
- Dr. Nicholas A. Bond Dept. of Psychology Sacramento State College 600 Jay Street Sacramento, CA 95319
- 1 Dr. David G. Bowers Institute for Social Research University of Michigan P. O. Box 1248 Ann Arbor, MI 48106
- Dr. Robert Brennan
 American College Testing Programs
 P. O. Box 168
 Iowa City, IA 52240
- DR. C. VICTOR BUNDERSON WICAT INC. UNIVERSITY PLAZA, SUITE 10 1160 SO. STATE ST. OREM, UT 84057
- 1 Dr. John B. Carroll
 Psychometric Lab
 Univ. cf No. Carclina
 Davie Hall 013A
 Chapel Hill, NC 27514

- 1 Charles Myers Library Livingstone House Livingstone Road Stratford London E15 2LJ ENGLAND
- 1 Dr. Kenneth E. Clark
 College of Arts & Sciences
 University of Rochester
 River Campus Station
 Rochester, NY 14627
- 1 Dr. Norman Cliff Dept. of Psychology Univ. of So. California University Park Los Angeles, CA 90007
- 1 Dr. William E. Coffman Director, Icwa Testing Programs 334 Lindquist Center University of Icwa Icwa City, IA 52242
- 1 Dr. Meredith P. Crawford American Psychological Association 1200 17th Street, N.W. Washington, DC 20036
- 1 Dr. Hans Crombag
 Education Research Center
 University of Leyden
 Boerhaavelaan 2
 2334 EN Leyden
 The NETHERLANDS
- 1 Dr. Emmanuel Donchin Department of Psychology University of Illinois Champaign, IL 61820
- 1 LCOL J. C. Eggenberger
 DIRECTORATE OF PERSONNEL APPLIED RESEARC
 NATIONAL DEFENCE HQ
 101 COLONEL BY DRIVE
 OTTAWA, CANADA K1A OK2

- 1 Dr. Leonard Feldt Lindquist Center for Measurment University of Iowa Iowa City, IA 52242
- 1 Dr. Richard L. Ferguson The American College Testing Program P.O. Box 168 Icwa City, IA 52240
- 1 Dr. Victor Fields
 Dept. of Psychology
 Hontgomery College
 Rockville, MD 20350
- 1 Univ. Prof. Dr. Gerhard Fischer Liebizgasse 5/3 Λ 1010 Vienna AUSTRIA
- 1 Professor Donald Fitzgerald University of New England Armidale, New South Wales 2351 AUSTRALIA
- 1 Dr. Edwin A. Fleishman Advanced Research Rescurces Organ. Suite 900 4330 East West Highway Washington, DC 20014
- Dr. John R. Frederiksen Bolt Beranek & Newman 50 Moulton Street Cambridge, MA 02138
- 1 DR. ROBERT GLASER LRDC UNIVERSITY OF PITTSBURGH 3939 O'HARA STREET PITTSBURGH, PA 15213
- Dr. Ron Hambleton
 School of Education
 University of Massechusetts
 Amherst, MA 01002

- 1 Dr. Chester Harris School of Education University of California Santa Barbara, CA 93106
- 1 Dr. Llcyd Humphreys Department of Psychology University of Illinois Champaign, IL 61820
- 1 Library HumRRO/Western Division 27857 Berwick Drive Carmel, CA 93921
- 1 Dr. Steven Hunka
 Department of Education
 University of Alberta
 Edmonton, Alberta
 CANADA
- 1 Dr. Earl Hunt Dept. of Psychology University of Washington Seattle, WA 98105
- Dr. Huynh Huynh College of Education University of South Carolina Columbia, SC 29208
- 1 Dr. Douglas H. Jones Rm T-255 Educational Testing Service Princeton, NJ 08450
- 1 Professor John A. Keats University of Newcastle AUSTRALIA 2308
- 1 Dr. Mazie Knerr
 Litton-Mellonics
 Box 1286
 Springfield, VA 22151
- 1 Mr. Marlin Kroger 1117 Via Goleta Palos Verdes Estates, CA 90274

- Dr. Michael Levine Department of Educational Psychology 210 Education Bldg. University of Illinois Champaign, IL 61801
- 1 Dr. Charles Lewis
 Faculteit Scciale Wetenschappen
 Rijksuniversiteit Groningen
 Oude Boteringestraat
 Groningen
 NETHERLANDS
- 1 Dr. Robert Linn College of Education University of Illinois Urbana, IL 61801
- 1 Dr. Frederick M. Lord Educational Testing Service Princeton, NJ 08540
- 1 Dr. Gary Marco Educational Testing Service Princeton, NJ 08450
- 1 Dr. Scott Maxwell Department of Psychology University of Houston Houston, TX 77004
- 1 Dr. Samuel T. Mayo Lcyola University of Chicago 820 North Michigan Avenue Chicago, IL 60611
- 1 Dr. James A. Paulson Portland State University P.O. Box 751 Portland, OR 97207
- 1 MR. LUIGI PETRULLO 2431 N. EDGEWOOD STREET ARLINGTON, VA 22207
- DR. DIANE M. RAMSEY-KLEE R-K RESEARCH & SYSTEM DESIGN 3947 RIDGEMONT DRIVE MALIBU, CA 90265

- 1 MINRAT H. L. RAUCH
 P II 4
 BUNDESMINISTERIUM DER VERTEIDIGUNG
 POSTFACH 1328
 D-53 BONN 1, GERMANY
- 1 Dr. Mark D. Reckase
 Educational Psychology Dept.
 University of Missouri-Columbia
 4 Hill Hall
 Columbia, MO 65211
- 1 Dr. Andrew M. Rose American Institutes for Research 1055 Thomas Jefferson St. NN Washington, DC 20007
- Dr. Leonard L. Rosenbaum, Chairman Department of Psychology Montgomery College Rockville, MD 20050
- 1 Dr. Ernst Z. Rothkopf
 Rell Laboratories
 600 Mountain Avenue
 Murray Hill, NJ 07974
- 1 Dr. Lawrence Rudner 403 Elm Avenue Takoma Park, MD 20012
- 1 Dr. J. Ryan
 Department of Education
 University of Scuth Carolina
 Columbia, SC 29208
- 1 PROF. FUMIKO SAMEJIMA DEPT. OF PSYCHOLOGY UNIVERSITY OF TENNESSEE KNOXVILLE, TN 37916
- 1 Committee on Cognitive Research % Dr. Lonnie R. Sherrod Social Science Research Council 605 Third Avenue New York, NY 10016

- 1 Dr. Kazuo Shigemasu University of Tohoku Department of Educational Psychology Kawauchi, Sendai 980 JAPAN
- 1 Dr. Richard Snow School of Education Stanford University Stanford, CA 94305
- 1 Dr. Robert Sternberg Dept. of Psychology Yale University Box 11A, Yale Station New Haven, CT 06520
- 1 DR. PATRICK SUPPES
 INSTITUTE FOR MATHEMATICAL STUDIES IN
 THE SOCIAL SCIENCES
 STANFORD UNIVERSITY
 STANFORD, CA 94305
- 1 Dr. Hariharan Swaminathan
 Laboratory of Psychometric and
 Evaluation Research
 School of Education
 University of Massachusetts
 Amherst, MA 01003
- 1 Dr. Brad Sympson Psychometric Research Group Educational Testing Service Princeton, NJ 08541
- 1 Dr. Kikumi Tatsuoka Computer Pased Education Research Laboratory 252 Engineering Research Laboratory University of Illinois Urbana, IL 61801
- 1 Dr. David Thissen
 Department of Psychology
 University of Kansas
 Lawrence, KS 66044

- 1 Dr. J. Uhlaner Perceptronics, Inc. 6271 Variel Avenue Woodland Hills, CA 91364
- 1 Dr. Howard Wainer Pureau of Schial Science Research 1990 H Street, N. W. Washington, DC 20036
- 1 DR. THOMAS MALLSTEN
 PSYCHOMETRIC LAPORATORY
 DAVIE HALL 013A
 UNIVERSITY OF NORTH CAROL
 CHAPEL HILL, NC 27514
- 1 Or. David J. Weiss N660 Ellictt Hall University of Minnesota 75 E. River Road Minneapolis, MN 55455
- 1 DR. SUSAN E. WHITELY
 PSYCHOLOGY DEPARTMENT
 UNIVERSITY OF KANSAS
 LAWRENCE, KANSAS 66044
- 1 Wolfgang Wildgrube Streitkraefteamt Box 20 50 03 D-5300 Bonn 2 WEST GERMANY
- 1 Dr. J. Arthur Woodward Department of Psychology University of California Los Angeles, CA 90024
- 1 Dr. Karl Zinn
 Center for research on Learning
 and Teaching
 University of Michigan
 Ann Arbor, MI 48104

